




Water Reuse Regulation – The water services position


Bruno Tisserand

EurEau President

What are we talking about?




Let's focus on the WR part



Let's focus on the WR part

EC proposal:
Responsibility is **only**
on the operator



End-user
should be
responsible
too

Water reuse project:

~ multistakeholder engagement

~ need for a responsible body of the water reuse project

What EurEau asks for

~ Agree with AGRI draft opinion

But we miss:

~ Definition of the Water reuse project

~ Definition of the **responsible body** (RB) of the water reuse project

~ The RB should take the responsibility for the risk management plan (RMP)

~ RMP in **collaboration** with all stakeholders, not only consultation

What EurEau asks for



- ~ Permit/autorisation requirement for the **end-user**
- ~ **Awareness raising campaign** to accompany the projects
- ~ Validation for class A should be **easier**, at least for small facilities
- ~ Implementation: 1 year is too short, **minimum 3 years**
- ~ Need for funding mechanism; estimationed costs are low

Thank you for your attention

Bruno Tisserand

EurEau President

bruno.tisserand@eureau.org



EurEau

Rue du Luxembourg 47-51,
B-1050 Brussels, Belgium
Tel: +32 (0)2 706 40 80
secretariat@eureau.org

EurEau. Water Matters.
www.eureau.org